




**BASIC FEATURES**

AGE GROUP: 18 months to 12 years old  
FALL HEIGHT (CSA): 55" (1,4m) (ASTM): 55" (1,4m)  
CHILD CAPACITY: 16 children  
DIMENSION (WT x DT x HT): 2'11" x 11'5" x 4'7" (0,9m x 3,5m x 1,4m)  
SHOCK ABSORBING SURFACE (CSA): 15' x 24' (4,6m x 7,3m)  
SHOCK ABSORBING SURFACE (ASTM): 15' x 24' (4,6m x 7,3m)

**DESCRIPTION**

This challenging component encourages climbing and hanging skills, making it valuable for the child's overall physical development.



**ANCHORING**



**ON STRINGERS**

This product is anchored by a system of frames covered with a protective coating buried in the ground. Some parts of the frames can be made from recycled plastic.

**MATERIALS**

**METALS**

**Post(s):** 6061-T6 aluminum alloy tube measuring 3-1/2" (89mm) in outer diameter, with 0.148" wall thickness.

**Metal frame(s):** Made of steel (sv)

**Hardware:** Made of stainless steel, Anti-vandal type.

**COATINGS**

**Paint:** Z-Series polyester powder, with ultraviolet (UV) rays and weather extreme resistance. Our paint also has antibacterial and antiviral properties.(sv)

**Galvanization:** Some attachments are hot dipped galvanized.

**FLEXIBLE MATERIALS**

**Cable(s):** Cable 5/8" (16 mm) in diameter composed of 6 strands of 8 galvanised steel wires each, wrapped with black polyester, linked together using aluminium joints.

**COLOUR CHOICES**

**Aluminum / Steel**

01	02	05	07	08
10	11	12	13	14
16	18	20	21	22
	23	24		

Made at our factory in Lévis, Québec, Canada • Meets CAN/CSA-Z614 and ASTM F1487 • IPEMA Certified